



Truffles and Mushrooms

(Consulting Ltd)

A list of putative edible or medicinal ectomycorrhizal mushrooms

Revised October 2011

Ian R. Hall, Tony Lyon,
Wang Yun and Peter Buchanan

Dr Ian R Hall
P.O. Box 268, Dunedin, New Zealand
telephone +64-3-454 3574
mobile: +64-27-226 1844
email: info@trufflesandmushrooms.co.nz
web www.trufflesandmushrooms.co.nz

© Truffles & Mushrooms (Consulting) Ltd

Contents

1	<i>Warning</i>	3
2	<i>Introduction</i>	4
3	<i>References</i>	5
	<i>Appendix 1. A list of putative edible or medicinal ectomycorrhizal mushrooms.</i>	7

1 *Warning*

N.B. The edibility of some species of mushrooms listed in this document is questionable. Where we are aware of this we have made a note in the Comments column in Appendix 1. However, the edibility of any of the species should be treated with caution particularly by the novice. Below we repeat the warning that is provided in the Timber Press book “Edible and Poisonous Mushrooms of the World” (Hall et al. 2003).

Some poisonous and edible mushrooms are easily confused. So, before eating any mushroom, be absolutely sure of its identity and edibility. For mushrooms that are not illustrated in this book or that are known to vary in appearance from the illustrations included in the book, it may be necessary to consult other texts listed in the Bibliography, or a mushroom specialist. But please note that the edibility of many mushrooms is still unknown and in any event when trying a mushroom for the first time only eat a small amount. **If you have any doubts whatsoever as to the identity and edibility of a mushroom, DO NOT EAT IT.** Whenever you eat wild mushrooms or a new cultivated mushroom always put some uncooked ones aside in the refrigerator in case you have made a mistake or have an allergic reaction to the mushroom. **If you experience any illness after eating a mushroom, consult a doctor immediately.**

Reasonable efforts have been made to publish reliable data and information, but the authors and publisher cannot assume responsibility for the validity of all materials or for the consequences of their use. The publishers and the authors can take no responsibility for the misidentification of mushrooms by the users of this book nor any illness that might result from their consumption.

2 *Introduction*

This list of putative edible and medicinal ectomycorrhizal mushrooms stems from one assembled for the book “Edible and Poisonous Mushrooms of the World” (Hall et al. 2003) and an expanded one presented at the Fifth International Conference on Mushroom Biology and Mushroom Products, Shanghai in April 2005 (Hall et al. 2005). [This 2011 revision has corrected some errors caused by the misinterpretation of a translation. This has resulted in the removal of several species which should never have been included. Our apologies for this.](#)

Highly prized species in Europe are in red while Japanese star ratings are from Imazeki et al. (1988). Additional species in pink are from Boa (2004) along with a few notes from him (medicinal species are marked with an “m” - see section 4).

We have made no judgements as to the authenticity of taxa or authorities and instead have simply followed copy from the many texts we have sourced information from such as: Castellano (1995), Chandra (1989), Edible fungi research institute (1991), Habitat (2006), Imazeki et al. (1988), New York botanical garden (2006), Phillips (1981, 1991), Provincia di Cuneo (2006), Silverside (2003), Volk (2006), Wang et al. (2004), Lyon (pers. comm.) and other references listed by Hall et al. (2003, 2005). Where no authorities have been provided none have been sought. Also we have not checked for possible spelling mistakes that might have been made by Eric Boa (2004).

Wherever possible English or French common names have been listed. Other common names can be found in: Berkeley digital library project (2005), Chandra (1989), Dutch mushroom names (2005), Freedman (2005), Kuo (2005), Pilz galerie (2005), Porcher (2005a, b), Société Mycologique de France (2005) and Wood & Stephens (2005).

The probable mycorrhizal status of each species was assessed in association with Dr Tony Lyon (ex Sheffield University), various texts including Handsen & Knudsen (1992, 1997), Spooner & Roberts (2005), USDA Forest Service (2002) and with the aid of the World Wide Web (e.g. DEEMY - Ludwig-Maximilians 2006, The mushroom expert 2006).

The mycorrhizal status of a mushroom would need to be carefully checked before any research was carried out on its cultivation. We have marked species “??” where we believe a species has a questionable mycorrhizal status or where we have not been able to find a reliable reference.

If you have any comments on this document could you please send them to:

Dr Ian R. Hall, Truffles & Mushrooms (Consulting) Ltd, P.O. Box 268, Dunedin, NEW ZEALAND, truffle1@ihug.co.nz

3 *References*

- Boa, E. 2004. Wild edible fungi: a global overview of their use and importance to people. Non-wood forest products from temperate broad-leaved trees. Non-wood forest products 17. Rome, Food and agriculture organization of the United Nations. www.fao.org/docrep/007/y5489e/y5489e00.htm
- Berkeley Digital Library Project. 2005. Browse fungi by common names. elib.cs.berkeley.edu/photos/browse_imgs/fungi.html
- Castellano, M.A. 1995. Report on fungi. Interior Columbia Basin ecosystem management project. www.icbemp.gov/science/castella.pdf
- Chandra, A. 1989. Elsevier's dictionary of edible mushrooms. Amsterdam, Elsevier.
- Dutch mushroom names. 2005. Netherlands' Mycological Society www.bk.tudelft.nl/users/kap/internet/index2.html
- Freedman, L. 2005. Foreign names of mushrooms. Cookbook page of the Mycological Society of San Francisco. www.mssf.org/cookbook/foreign.html
- Edible fungi research institute, Shanghai academy of agricultural sciences (Ed.). 1991. Edible fungal flora of China. Beijing, China forestry publishing house.
- Habitat. 2006. Fungi and wild plants: *Lactarius hatsudake*. http://www.geocities.co.jp/HeartLand-Keyaki/7983/en/russulaceae/lactarius_hatsudake.html, etc
- Hall, I.R.; Stephenson, S.; Buchanan, P.; Wang, Y.; Cole, A.L.J. 2003. Edible and poisonous mushrooms of the world. Timber Press, Portland. 371 p.
- Hall, I.R.; Zambonelli, A.; Wang, Y. 2005. The cultivation of mycorrhizal mushrooms - success and failure. Proceedings of the fifth international conference on mushroom biology and mushroom products, Shanghai, April 2005. Acta edulis fungi 12: 45-60.
- Handsen, L.; Knudsen, H. (eds.) 1992. Nordic macromycetes volume 2. Copenhagen, Nordsvamp.
- Handsen, L.; Knudsen, H. (eds.) 1997. Nordic macromycetes volume 3. Copenhagen, Nordsvamp.
- Imazeki, R.; Otani, Y.; Hongo, T.; Izawa, M.; Mizuno, N. 1988. Coloured illustrations of mushrooms of Japan. Yama-kei, Tokyo. (In Japanese).
- Kuo, M. 2005. MushroomExpert.Com: site index and list of scientific names. www.mushroomexpert.com/sitemap.html
- Ludwig-Maximilians-Universität München. 2007. DEEMY: an information system for Characterization and DEtermination of EctoMYcorrhizae. www.deemy.de/

- New York Botanical Garden. 2006. www.nybg.org/
- Phillips, R. 1981. *Mushrooms and Other Fungi of Great Britain and Europe*. London, Pan.
- Phillips, R. 1991. *Mushrooms of North America*. Boston, Little, Brown & Co.
- Pilz Galerie 2005. www.pilzepilze.de/piga/
- Porcher, M.H. 2005a. Multilingual multiscrypt plant name database. University of Melbourne. www.plantnames.unimelb.edu.au/Sorting/Mushrooms_Intro.html
- Porcher, 2005b. Japanese mushroom names. Multilingual multiscrypt plant name database. University of Melbourne. www.plantnames.unimelb.edu.au/Sorting/Fungi_Japindex_kat1.html
- Provincia di Cuneo. 2006. www.natura.provincia.cuneo.it/funghi/scheda.jsp?id=386, www.natura.provincia.cuneo.it/funghi/comestibili/hygrophorus_russula%20.htm, etc.
- Société mycologique de France. 2005. Comité des noms Français www.mycofrance.org/
- Spooner, B.; Roberts, P. *Fungi*. 2005. The new naturalist's library. London. Collins.
- Silverside, A.J. 2003. *Clavaria*: fairy clubs. www-biol.paisley.ac.uk/bioref/Fungi_basidiomycetes/Clavaria.html
- The mushroom expert. 2006. www.mushroomexpert.com
- Wood, M.; Stevens, F. 2005. The fungi of California. www.mykoweb.com/CAF/species_index.html
- USDA Forest Service. 2002. Attachment 1: Survey and manage fungi, group 1 for FY 2002, Annual species review. www.blm.gov/nhp/efoia/or/fy2002/ib/ib-or-2002-057.htm
- Volk, T. 2006. Tom Volk's fungi. http://botit.botany.wisc.edu/toms_fungi/
- Wang, X.; Liu, P.; Yu, F. 2004. *Colour atlas of wild commercial mushrooms in China*. Yunnan science and technology press.

Appendix 1. A list of putative edible or medicinal ectomycorrhizal mushrooms.

N.B. The edibility of some species is distinctly questionable. Where we are aware of this we have made a note in the Comments column. However, the edibility of any of the species should be treated with caution. Below we repeat the warning that is provided in the Timber Press book *Edible and Poisonous Mushrooms of the World* (Hall et al. 2003).

Some poisonous and edible mushrooms are easily confused. So, before eating any mushroom, be absolutely sure of its identity and edibility. For mushrooms that are not illustrated in this book or that are known to vary in appearance from the illustrations included in the book, it may be necessary to consult other texts listed in the Bibliography, or a mushroom specialist. But please note that the edibility of many mushrooms is still unknown and in any event when trying a mushroom for the first time only eat a small amount. **If you have any doubts whatsoever as to the identity and edibility of a mushroom, DO NOT EAT IT.** Whenever you eat wild mushrooms or a new cultivated mushroom always put some uncooked ones aside in the refrigerator in case you have made a mistake or have an allergic reaction to the mushroom. **If you experience any illness after eating a mushroom, consult a doctor immediately.**

Reasonable efforts have been made to publish reliable data and information, but the authors and publisher cannot assume responsibility for the validity of all materials or for the consequences of their use. The publishers and the authors can take no responsibility for the misidentification of mushrooms by the users of this book nor any illness that might result from their consumption.

	<i>Botanical name</i> (those from Boa are in pink)	<i>Common name(s)</i>	<i>Listed by Wang et al. 2004 for Yunnan or Edible fungi research institute 1991 for China</i>	<i>Star ratings from Imazeki et al. 1988, Japan</i>	<i>Comments</i>
1	<i>Afroboletus costatispora</i>				??, edible
2	<i>Afroboletus luteolus</i>				??, food
3	<i>Albatrellus confluens</i>				edible (m)
4	<i>Albatrellus ovinus</i>				food
5	<i>Amanita alliodora</i>				medicinal
6	<i>Amanita aurea</i>				food
7	<i>Amanita bingensis</i>				edible
8	<i>Amanita caesarea</i> (Scop.: Fr.) Quél.	Caesar's mushroom, Latin bolete, orange	•		

9	<i>Amanita caesarea f. sp. americana</i>				food
10	<i>Amanita caesareoides</i>				edible
11	<i>Amanita calopus</i>				edible
12	<i>Amanita calyprata</i> Peck	coccora, coccoli			
13	<i>Amanita calypratoides</i>				edible
14	<i>Amanita calyptroderma</i>				food
15	<i>Amanita ceciliae</i>				food
16	<i>Amanita chepangiana</i>				edible
17	<i>Amanita citrina</i> Schaeff. Pers. = <i>Amanita mappa</i> (Batsch) Quél.	false death cap			
18	<i>Amanita constricta</i>				edible
19	<i>Amanita crocea</i> (Quélet) Singer	amanite jaune safran			
20	<i>Amanita echinocephala</i> (Vitt.) Quél.	amanite hérisson			
21	<i>Amanita eliae</i> Quél.	rose			
22	<i>Amanita excelsa</i> (Fr.) Kummer	amanite épaisse			Considered toxic in Japan
23	<i>Amanita flammeola</i>				food
24	<i>Amanita flavoconia</i>				food
25	<i>Amanita flavorubescens</i>				edible
26	<i>Amanita fritillaria</i> (Berk.) Sacc.		•		Wang et al. (2004) consider this species to be of questionable edibility
27	<i>Amanita fulva</i> (Schaeff.) Secr.	tawny grisette	•		
28	<i>Amanita gemmata</i>				edible
29	<i>Amanita goosensiae</i>				edible
30	<i>Amanita hemibapha</i> (Berk. et Br.) Sacc. subsp. <i>hemibapha</i>	tamagotake	•	•••	
31	<i>Amanita hemibapha</i> var. <i>ochracea</i> Zhi L. Yang				
32	<i>Amanita hovae</i>				edible

33	<i>Amanita hunanensis</i> Peng et Liu		•	
34	<i>Amanita inaurata</i> Secr.	ringed foot	•	
35	<i>Amanita junguilla</i> Quél.		•	
36	<i>Amanita loosii</i>			food
37	<i>Amanita manginiana</i> (Hariot et Pat.) Gilb.		•	
38	<i>Amanita muscaria</i>			medicinal, normally considered toxic
39	<i>Amanita nivalis</i> Grev.		•	
40	<i>Amanita ovodea</i> (Bull. Ex Fr.) Quél.	amanite ovoide		
41	<i>Amanita pachycolea</i>			edible
42	<i>Amanita perphaea</i>			food
43	<i>Amanita porphyria</i> (A.-S. ex Fr.) Gill.	amanite porphyre		
44	<i>Amanita pseudoporphyria</i> Hongo		•	
45	<i>Amanita rhodophylla</i>			edible
46	<i>Amanita robusta</i>			edible
47	<i>Amanita rubescens</i> Pers.	the blusher	•	•
48	<i>Amanita sinensis</i> Zhu L. Yang		•	
49	<i>Amanita solitaria</i> (Bull. ex Fr.) Secr.	amanite solitaire	•	
50	<i>Amanita tanzanica</i>			edible
51	<i>Amanita tuza</i> Guzmán	aikua		
52	<i>Amanita umbonata</i>			food
53	<i>Amanita umbrinolutea</i> Secr.	amanite brun jaune		
54	<i>Amanita vaginata</i> (Bull.: Fr.) Vitt.	grisette	•	•
55	<i>Amanita velosa</i> (Peck) Lloyd	springtime amanita		
56	<i>Amanita virgineoides</i>			edible
57	<i>Amanita vitadini</i> (Moretti) Vitt.	breitschuppiger wulstling		
58	<i>Amanita yuani</i> Zhu L. Yang		•	

59	<i>Amanita zambiana</i>				food
60	<i>Amanitina manginiana</i>				food
61	<i>Amanitopsis pudica</i>				edible
62	<i>Amauroderma niger</i>				medicinal
63	<i>Amauroderma rude</i>				medicinal
64	<i>Arachnion album</i>				food
65	<i>Aspropaxillus lepistoides</i>				edible
66	<i>Astraeus hygrometricus</i>				edible (m)
67	<i>Aureobasidium pullulans</i> var. <i>pullulans</i>				medicinal
68	<i>Bankera fuligineoalba</i>				edible
69	<i>Battarea phalloides</i>				medicinal
70	<i>Battarrea stevenii</i>				medicinal
71	<i>Boletellus ananas</i>				food
72	<i>Boletellus betula</i>				food
73	<i>Boletellus chrysenteroides</i> (Snell) Snell		•		
74	<i>Boletellus emodensis</i>				edible
75	<i>Boletellus projectellus</i> (Murr.) Singer		•		
76	<i>Boletellus russellii</i> (Frost) Gilb.		•	••	
77	<i>Boletinus appendiculatus</i> Peck	butter bolete			
78	<i>Boletinus asiaticus</i>				edible
79	<i>Boletinus cavipes</i> (Opat.) Kalchbr.	hollow stemmed boletus	•	•	
80	<i>Boletinus kummingensis</i> Chiu		•		
81	<i>Boletinus lakei</i>				edible
82	<i>Boletinus pictus</i> (Peck) Peck		•		
83	<i>Boletinus pinetorum</i> (Chiu) Teng		•		
84	<i>Boletopsis leucomelaena</i>				edible
85	<i>Boletopsis grisea</i> (Peck) Bondartsev & Singer		•		

86	<i>Boletopsis leucomelas</i> (Pers.) Fayod	kurokao		••
87	<i>Boletopsis subsquamosa</i> (Fr.) Kotl. et Pouz.	kurokawa		
88	<i>Boletus aereus</i> Bull.: Fr.	cep	•	
89	<i>Boletus aestivalis</i> Fr.	cep, cèpe de Bordeaux, porcini		
90	<i>Boletus albidus</i> Rosques		•	
91	<i>Boletus appendiculatus</i> Schaeff. ex Fr.			
92	<i>Boletus atkinsonii</i>			edible
93	<i>Boletus badius</i> Fr.	bay boletus		
94	<i>Boletus barrowsii</i> Thiers et A.H. Smith	white king bolete		
95	<i>Boletus bicolor</i> Peck	red and yellow bolete	•	
96	<i>Boletus bicoloroides</i>			food
97	<i>Boletus brunneissimus</i> W.F. Chiu		•	
98	<i>Boletus calopus</i> Fr.		•	
99	<i>Boletus carpini</i> Schulzer	bolet raboteux		
100	<i>Boletus citrifragrans</i> Chiu et Zang		•	
101	<i>Boletus dryophilus</i> Thiers	oak-loving bolete		
102	<i>Boletus edulis</i> Bull.: Fr.	cep	•	
103	<i>Boletus emodensis</i>			edible
104	<i>Boletus erythropus</i> (Fr. Ex Fr.) Secr.	bolet à pied rouge		
105	<i>Boletus erythropus</i> var. <i>novoguineensis</i>			edible
106	<i>Boletus fechtneri</i> Ryman et Holmåsén			
107	<i>Boletus felleus</i>			edible
108	<i>Boletus fibrillosus</i> Thiers			
109	<i>Boletus fraternus</i> Peck			
110	<i>Boletus frostii</i> Russell	apple bolete		
111	<i>Boletus gertrudiae</i> Peck		•	

112	<i>Boletus griseus</i> Frost and			
113	<i>Boletus griseus</i> var. <i>fuscus</i> Hongo		•	
114	<i>Boletus impolitus</i> Fr.		•	
115	<i>Boletus instabilis</i> W.F. Chiu		•	
116	<i>Boletus kauffmanii</i> Lohwag in Handel		•	
117	<i>Boletus loyo</i>			food
118	<i>Boletus luridiformis</i>			edible
119	<i>Boletus luridus</i> Schaeff. Ex. Fr.	lurid boletus	•	
120	<i>Boletus michoacanus</i>			food
121	<i>Boletus mirabilis</i> Murr.	admirable bolete		
122	<i>Boletus nigroviolaceus</i>			edible
123	<i>Boletus obscureumbrinus</i> Hongo		•	
124	<i>Boletus ornatipes</i> Peck		•	•
125	<i>Boletus pallidus</i> Frost		•	
126	<i>Boletus pinicola</i> (Vitt.) A. Venturi = <i>Boletus pinophilus</i> Pilát & Dermek	cep		
127	<i>Boletus pinophilus</i>			food
128	<i>Boletus piperatus</i> Bull. ex Fr.	peppery boletus		
129	<i>Boletus pulverulentus</i> Opat.		•	
130	<i>Boletus queletii</i> Schulzer	bolet de Quélet	•	
131	<i>Boletus regius</i> Krombh .	butter bolete	•	
132	<i>Boletus reticulatus</i> Schaeff. = <i>Boletus aestivalis</i> Fr.	cep		•••
133	<i>Boletus rubellus</i> Krombholz		•	
134	<i>Boletus satanus</i> Lenz	Satan's boletus		Usually considered very poisonous
135	<i>Boletus separans</i>			edible
136	<i>Boletus sinicus</i> W.F. Chiu		•	
137	<i>Boletus speciosus</i> Frost		•	•••

138	<i>Boletus squamulistipes</i> Zang		•		
139	<i>Boletus subsplendidus</i> Chiu		•		
140	<i>Boletus subvelutipes</i> Peck			••	
141	<i>Boletus sylvestris</i> Petch		•		
142	<i>Boletus taianus</i> Chiu		•		
143	<i>Boletus truncatus</i>				edible
144	<i>Boletus umbrinus</i> Pers.		•		
145	<i>Boletus variipes</i>				food
146	<i>Boletus variipes</i> Peck		•		
147	<i>Boletus violaceofuscus</i> Chiu		•	•••	
148	<i>Boletus vitellinus</i>				edible
149	<i>Boletus zelleri</i>				edible
150	<i>Bondarzewia berkeleyi</i>				edible
151	<i>Bondarzewia montana</i>				edible
152	<i>Buchwaldoboletus spectabilis</i>				edible
153	<i>Craterellus cornucopioides</i> var. <i>cornucopioides</i>				edible
154	<i>Craterellus cornucopioides</i> var. <i>parvisporus</i>				edible
155	<i>Craterellus elegans</i> subsp. <i>infundibuliforme</i>				edible
156	<i>Camarophyllus niveus</i>				edible
157	<i>Camarophyllus pratensis</i>				edible
158	<i>Camarophyllus subpratensis</i>				edible
159	<i>Camarophyllus virgineus</i>				edible
160	<i>Cantharellula umbonata</i>				edible
161	<i>Cantharellus albidus</i> Fr.		•		
162	<i>Cantharellus aureus</i> Berk. Et Curt.	kabuteng damuhan			
163	<i>Cantharellus cibarius</i> Fr.	chanterelle	•	••	
164	<i>Cantharellus cibarius</i> var. <i>defibulatus</i>				edible

165	<i>Cantharellus cibarius</i> var. <i>latifolius</i>				edible
166	<i>Cantharellus cinereus</i> (Persoon) Fries	grey chanterelle	•		
167	<i>Cantharellus cinnabarinus</i> (Schwein.) Schwein.	red chanterelle	•		
168	<i>Cantharellus clavatus</i> Fr.		•		
169	<i>Cantharellus congolensis</i>				food
170	<i>Cantharellus cyanescens</i>				edible
171	<i>Cantharellus cyanoxanthus</i>				edible
172	<i>Cantharellus densifolius</i>				food
173	<i>Cantharellus eucalyptorum</i>				food
174	<i>Cantharellus floccosus</i>				edible
175	<i>Cantharellus floridulus</i>				food
176	<i>Cantharellus formosus</i> Corner				
177	<i>Cantharellus ignicolor</i>				food
178	<i>Cantharellus incarnatus</i>				edible
179	<i>Cantharellus infundibulariformis</i> Scop. Ex Fr.	trumpet-shaped chanterelle			
180	<i>Cantharellus isabellinus</i>				edible
181	<i>Cantharellus lateritius</i> (Berk.) Singer				
182	<i>Cantharellus longisporus</i>				food
183	<i>Cantharellus luteocomus</i> Bigelow			•	
184	<i>Cantharellus luteopunctatus</i>				edible
185	<i>Cantharellus lutescens</i> (Pers.) Kühn.-Romagn.	chanterelle jaunissante	•		
186	<i>Cantharellus miniatescens</i>				food
187	<i>Cantharellus minor</i> Peck		•		
188	<i>Cantharellus odoratus</i>				food
189	<i>Cantharellus pallens</i> Pilát				
190	<i>Cantharellus platyphyllus</i>				edible

191	<i>Cantharellus pseudocibarius</i>				food
192	<i>Cantharellus pseudofriesii</i>				edible
193	<i>Cantharellus ruber</i>				edible
194	<i>Cantharellus rufopunctatus</i>				edible
195	<i>Cantharellus rufopunctatus</i> var. <i>ochraceus</i>				edible
196	<i>Cantharellus splendens</i>				edible
197	<i>Cantharellus subalbidus</i> A.H. Smith et Morse	white chanterelle		•	
198	<i>Cantharellus subcibarius</i>				edible
199	<i>Cantharellus symoensii</i>				food
200	<i>Cantharellus tenuis</i>				edible
201	<i>Cantharellus tuberculosporus</i> Zang			•	
202	<i>Cantharellus tubiformis</i>	yellow foot			food
203	<i>Cantharellus xanthopus</i> (Per.) Duby			•	
204	<i>Cantharellus yunnanensis</i> Chiu			•	
205	<i>Catathelasma imperiale</i>				edible
206	<i>Catathelasma imperiale</i> (Fr.) Sing.	imperial cap			
207	<i>Catathelasma ventricosum</i>				food
208	<i>Catathelasma ventricosum</i> (Peck) Sing.			•	
209	<i>Cerrena unicolor</i>				medicinal
210	<i>Chalciporus piperatus</i>				edible
211	<i>Choiromyces aboriginum</i> Trappe	Australian native truffle			
212	<i>Choiromyces meandriformis</i> Vitt. = <i>Choiromyces venosus</i> (Fr.) Th. Fr.	white truffle			
213	<i>Cladina stellaris</i>				food
214	<i>Cladonia</i> spp.				medicinal
215	<i>Clavaria albiramea</i>				edible
216	<i>Clavaria argillacea</i> Fr.	field club			?? see Brundrett & Bougher 2000, Straker

			1996; USDA Forest Service 2002
217	<i>Clavaria aurea</i>		edible
218	<i>Clavaria coralloides</i>		food
219	<i>Clavariadelphus cokeri</i>		??, food
220	<i>Clavariadelphus pistillaris</i>		??, food
221	<i>Clavariadelphus pistillaris</i> (Fr.) Donk		??
222	<i>Clavariadelphus sachalinensis</i>		??, edible
223	<i>Clavariadelphus truncatus</i>		??, food
224	<i>Clavariadelphus unicolor</i>		??, food
225	<i>Clavaria fumosa</i> Fr.	smoky clavaria	
226	<i>Clavaria purpurea</i>		edible
227	<i>Clavaria rosea</i> Fr.	clavaire rose	
228	<i>Clavaria vermicularis</i> Fr.	white spindles	
229	<i>Clavaria zipelli</i> Leveille	kabuteng may sanga sanga	
230	<i>Clavulina amethystina</i>		??, edible
231	<i>Clavulina cinerea</i> (Fr.) Schröt.		??
232	<i>Clavulina cristata</i> (Fr.) Schröt.		??
233	<i>Clavulina rugosa</i> (Fr.) Schröt.		??
234	<i>Clavulinopsis amoena</i> (Zoll. et Mor.) Corner		??
235	<i>Clavulinopsis corniculata</i> (Fr.) Corner		??
236	<i>Clavulinopsis fusiformis</i>		edible
237	<i>Clavulinopsis helvola</i>		edible
238	<i>Clavulinopsis miniata</i> (Berk.) Corner		??
239	<i>Clavulinopsis miyabeana</i>		edible
240	<i>Climacocystis borealis</i>		edible
241	<i>Clitopilus abortivus</i>		medicinal

242	<i>Clitopilus caespitosus</i> Pk.		•	
243	<i>Clitopilus prunulus</i> (Scop ex Fr.) Kummer	sweetbread mushroom		
244	<i>Clitopilus truncatus</i> (Schaeff. Ex Fr.) Kühn-Romagn. in the sense of Quélet	clitopile tronqué		
245	<i>Cookeina sulcipes</i>			??, edible
246	<i>Cookeina tricholoma</i>			??, edible
247	<i>Cortinarius alboviolaceus</i> (Pers. ex Fr.) Fr.	cortinaire blanc violacé		
248	<i>Cortinarius armeniacus</i> (Fr.) Fr.		•	
249	<i>Cortinarius armillatus</i> (Fr.: Fr.) Fr.	bracelet cortinarius		
250	<i>Cortinarius aureus</i> Berk & Curt.		•	
251	<i>Cortinarius caeruleus</i> (Schaeff.) Fr.		•	
252	<i>Cortinarius caesiocyaneus</i> Britz.		•	
253	<i>Cortinarius calochrous</i> (Pers. ex Fr.) Fr.	cortinaire à belle couleur		
254	<i>Cortinarius cinnamomeus</i> (L. ex Fr.) Fr.	cortinaire couleur-de-cannelle	•	
255	<i>Cortinarius claricolor</i> (Fr.) Fr. var. <i>turmalis</i> (Fr.) Moser		•	
256	<i>Cortinarius collinitus</i> (Sow.: Fr.) Fr.	graisseux	•	
257	<i>Cortinarius collisteus</i> Fr.	kabuteng kalauangin		
258	<i>Cortinarius cyanopus</i> S.J. Lange, Kühn. & Romagn.	cortinaire à pied bleu		
259	<i>Cortinarius delibutus</i> Fr.	cortinaire enduit		
260	<i>Cortinarius eliator</i> Fr.	cortinaire élevé	•	
261	<i>Cortinarius fulgens</i> (Alb. et Schw.) Fr.		•	
262	<i>Cortinarius glaugopus</i> Schaeff. Ex. Fr.	cortinaire à pied glauque		
263	<i>Cortinarius largus</i> Fr.		•	
264	<i>Cortinarius mucifluus</i> (Fr.) Fr.			
265	<i>Cortinarius mucopus</i> (Bull. ex Fr.) Kickx	graisseux, cortinaire muqueux		
266	<i>Cortinarius multiformis</i> (Fr. ex Secr.) Fr.	cortinaire multiformé	•	
267	<i>Cortinarius orichalceus</i>			edible

268	<i>Cortinarius pholideus</i> (Fr. ex Fr.) Fr.	cortinaire écailleux	•	
269	<i>Cortinarius praestans</i> (Corda) Sacc.	cortinaire remarquable		
270	<i>Cortinarius prasinus</i>			edible
271	<i>Cortinarius pseudosalor</i>			edible
272	<i>Cortinarius pseudosalor</i> J. Lange			
273	<i>Cortinarius purpurascens</i> (Fr.) Fr.	cortinaire purpurescent	•	
274	<i>Cortinarius rufo-olivaceus</i>			food
275	<i>Cortinarius sanguineus</i> (Wulf.) Fr.		•	
276	<i>Cortinarius scutulatus</i> (Fr.) Fr.	violetter Rettich-Gürtelfuss		
277	<i>Cortinarius tenuipes</i> (Hongo) Hongo		•	
278	<i>Cortinarius torvus</i> (Fr. ex Fr.) Fr.	cortinaire farouche		
279	<i>Cortinarius triumphans</i> Fr.	gelbgestiefelter Schleimkopf		
280	<i>Cortinarius trivialis</i> J. Lange	cortinaire trivial		
281	<i>Cortinarius turmalis</i> Fr.		•	
282	<i>Cortinarius variegator</i>			edible
283	<i>Cortinarius varius</i> Fr. ex Schaeff.	cortinaire		
284	<i>Cortinarius vibratilis</i> (Fr.) Fr.		•	
285	<i>Cortinarius violaceus</i> (L.: Fr.) Fr	violet cortinarius	•	
286	<i>Cortinarius xiphidius</i> Moser et Horak			
287	<i>Cotylidia aurantiaca</i>			edible
288	<i>Craterellus aureus</i>			edible
289	<i>Craterellus cinereus</i> (Fr.) Quél.	black chanterelle		
290	<i>Craterellus cornucopioides</i> (L.: Fr.) Pers.			food (m)
291	<i>Craterellus cornucopioides</i> var. <i>pavisporus</i> Heinem.	horn of plenty	•	•
292	<i>Craterellus fallax</i>			food
293	<i>Craterellus odoratus</i> Schw.		•	

294	<i>Craterellus sinuosus</i> Fr.		•	
295	<i>Craterellus tubaeformis</i> (Fr.) Quél. = <i>Cantharellus infundibuliformis</i> Fr.	winter chanterelle		
296	<i>Entoloma abortivum</i>			food
297	<i>Entoloma aprilis</i>			edible
298	<i>Entoloma argyropus</i>			edible
299	<i>Entoloma bloxami</i>			edible
300	<i>Entoloma clypeatum</i> (L.: ex Fr.) P. Kumm.		•	
301	<i>Entoloma crassipes</i>			edible
302	<i>Entoloma heloides</i> (Fr.) Kumm.	russblättriger Rötling		
303	<i>Entoloma madidum</i>			edible
304	<i>Entoloma microcarpum</i>			edible
305	<i>Floccularia albolaripes</i>			?? edible
306	<i>Fuscoboletinus grisellus</i> (Peck) Pomerleau et Smith		•	
307	<i>Fuscoboletinus paluster</i> (Peck) Pomerleau			
308	<i>Fuscoboletinus serotinus</i> (Frost) A.H. Smith et Thiers			
309	<i>Galiella javanica</i>			medicinal
310	<i>Gautieria mexicana</i>			edible
311	<i>Geopora cooperi</i> Harkness	fuzzy truffle		
312	<i>Gomphidius glutinosus</i> (Schaeff.: Fr.) Fr.	viscid gomphidius		
313	<i>Gomphidius gracilis</i> Berk.	zierlicher Schmierling		
314	<i>Gomphidius maculatus</i> Fr.	gomphide tacheté	•	
315	<i>Gomphidius oregonensis</i> Peck			
316	<i>Gomphidius purpurascens</i>			edible
317	<i>Gomphidius roseus</i> (Fr.) Karst.	gomphide rose	•	
318	<i>Gomphidius rutilis</i> (Schaeff. ex Fr.) Lund. et Nannf.	pine spike-cap	•	
319	<i>Gomphidius tomentosus</i> Murr.		•	

320	<i>Gomphus clavatus</i> (Pers.: Fr.) S.F. Gray	pig's ears		
321	<i>Gomphus floccosus</i> (Schwein) Sing.	scaly chanterelle	•	Generally considered poisonous
322	<i>Gomphus fujiisanensis</i> (S. Imai) Parmasto		•	Generally considered poisonous
323	<i>Gomphus fusisanensis</i> (S. Imai) Parmasto			Generally considered poisonous
324	<i>Gomphus kauffmanii</i>			food
325	<i>Gomphus orientalis</i> R.H. Petersen & M. Zang		•	Generally considered poisonous
326	<i>Goossensia cibarioides</i>			?? edible
327	<i>Gyrodon intermedius</i>			food
328	<i>Gyrodon lividus</i> (Bull.: Fr.) Sacc.			•
329	<i>Gyrodon merulioides</i>			edible
330	<i>Gyromitra ambigua</i>			edible
331	<i>Gyromitra antartica</i>			edible
332	<i>Gyromitra esculenta</i>			edible
333	<i>Gyromitra infula</i>			food
334	<i>Gyromitra ussuriensis</i>			edible
335	<i>Gyroporus atroviolaceus</i> (Höhn.) Gilbert		•	
336	<i>Gyroporus castaneus</i>			edible
337	<i>Gyroporus castaneus</i> (Fr.) Quél.	chestnut bolete	•	•
338	<i>Gyroporus cyanescens</i> (Fr.) Quél.	bolet bleuissant	•	
339	<i>Gyroporus pseudomicrosporus</i> Zang		•	
340	<i>Hebeloma fastibile</i> (Pers. ex Fr.) Kumm.	jolete de ocote		
341	<i>Hebeloma mesophaeum</i>			food
342	<i>Hebeloma radicosum</i> (Bull. ex Fr.) Ricken	hébélome radicant		
343	<i>Hebeloma sinapizans</i> (Paulet ex Fr.) Gillet	hébélome brûlant		
344	<i>Helvella acetabulum</i>			edible but see Hobbie et

345	<i>Helvella crispa</i>				
346	<i>Helvella elastica</i>				
347	<i>Helvella infula</i>				
348	<i>Helvella lacunosa</i>				
349	<i>Hydnotrya tulasnei</i>				
350	<i>Hydnum repandum</i> L.: Fr.	hedgehog fungus, wood hedgehog	•	•	
351	<i>Hydnum rufescens</i> Schaeff. : Fr.				
352	<i>Hydnum umbilicatum</i>				edible
353	<i>Hygrophoropsis aurantiaca</i> (Wulf. ex Fr.) Maire	false chanterelle			Generally considered poisonous
354	<i>Hygrophoropsis mangelotii</i>				edible
355	<i>Hygrophoropsis olida</i> (Qué.) Mét.	Duftpifferling			
356	<i>Hygrophorus agathosmus</i>				edible
357	<i>Hygrophorus agathosmus</i> (Fr. ex Secr.) Fr.	hygrophore à odeur agréable	•		
358	<i>Hygrophorus arbustivus</i>				edible
359	<i>Hygrophorus arbustivus</i> Fr.		•		
360	<i>Hygrophorus borealis</i> Peck				
361	<i>Hygrophorus bresadolae</i> Qué.	orange-gelber Schneckling			
362	<i>Hygrophorus calyptreaformis</i> Berkeley & Broome	ballerina hygrophorus			
363	<i>Hygrophorus camarophyllus</i> (Alb. & Schw. : Fr.) Dumèe	graubrauner Schneckling			
364	<i>Hygrophorus cantharellus</i> (Schw.) Fr.		•		
365	<i>Hygrophorus capreolarius</i> (Kalchbr.) Sacc.	weinroter Schneckling			
366	<i>Hygrophorus ceraceus</i> (Wulf.) Fr.		•		
367	<i>Hygrophorus chlorophanus</i> (Fr.) Fr.	hygrophore jaune verdâtre	•		
368	<i>Hygrophorus chrysodon</i> (Batsch ex Fr.) Fr.	hygrophore à dents jaunes			
369	<i>Hygrophorus coccineus</i> (Schaeff. ex Fr.) Fr.	scarlet hood			
370	<i>Hygrophorus discoideus</i> (Pers.) Fr.	hygrophore à dique			

al. 2001

371	<i>Hygrophorus eburneus</i> (Fr.) Fr.	ivory waxy cap	•
372	<i>Hygrophorus erubescens</i> Fr.	hygrophore rougissant	•
373	<i>Hygrophorus gliocyclus</i> Fr.	glutinous waxy cap	
374	<i>Hygrophorus hypothejus</i> (Fr.: Fr.) Fr.	pinewood wax cap	•
375	<i>Hygrophorus lacmus</i> (Schum. ex Fr.) Kalchbr.	violettgrauer	
376	<i>Hygrophorus laetus</i> (Pers. ex Fr.) Fr.	Schneckling	
377	<i>Hygrophorus leucophaeus</i> (Scop. ex Fr.) Gillet	hygrophore blanc et brun	
378	<i>Hygrophorus limaceus</i> Fr.	hygrophore limace	
379	<i>Hygrophorus lucorum</i> Kalchbr.	Lärchenschneckling	•
380	<i>Hygrophorus marzuolus</i> (Fr.) Bres.	hygrophore de mars	
381	<i>Hygrophorus miniatus</i> (Scop.) Fr.		•
382	<i>Hygrophorus nemoreus</i> (Lasch) Fr.	hygrophore des bois	
383	<i>Hygrophorus niveus</i> (Scop.) Fr.	snow white hygrophorus	
384	<i>Hygrophorus olivaceoalbus</i>		edible
385	<i>Hygrophorus olivaceo-albus</i> (Fr. ex Fr.) Fr.	nattersteiliger Schneckling	
386	<i>Hygrophorus pacificus</i> Sm. et Hes.		•
387	<i>Hygrophorus penarius</i> Fr.	hygrophore comestible	
388	<i>Hygrophorus poetarum</i> Heim	hygrophore des poètes	
389	<i>Hygrophorus pratensis</i> (Pers.) Fr.		•
390	<i>Hygrophorus psittacinus</i> (Schaeff. ex Fr.) Fr.	parrot wax cap	•
391	<i>Hygrophorus pudorinus</i> (Fr.) Fr.		•
392	<i>Hygrophorus puniceus</i> (Fr.) Fr.	crimson wax cap	•
393	<i>Hygrophorus purpurascens</i> (Fr.) Fr.		
394	<i>Hygrophorus pustulatus</i> (Pers. ex Fr.) Fr.	hygrophore pustuleax	
395	<i>Hygrophorus roseibrunneus</i> Murr.	rosy-brown waxy cap	
396	<i>Hygrophorus russula</i> (Schaeff.: Fr.) Quél.	russula-like waxy cap	•
397	<i>Hygrophorus subradiatus</i> (Schum. ex Fr.) Kummer	smoky-gilled wood lover	

398	<i>Hygrophorus virgineus</i> (Wulf.) Fr.		•		
399	<i>Inocybe jurana</i> Pat.	inocybe de Jura			
400	<i>Inocybe pyridora</i> (Pers. ex Fr.) Kummer	inocybe de pyridor			
401	<i>Kobayasia nipponica</i>				edible
402	<i>Laccaria amethystea</i> Cooke	amethyst deceiver	•	•	
403	<i>Laccaria amethysteo-occidentalis</i>				edible
404	<i>Laccaria bicolor</i> (Maire) P.D. Orton	Blaüling		•	
405	<i>Laccaria edulis</i>				edible
406	<i>Laccaria farinacea</i>				edible
407	<i>Laccaria laccata</i> (Scop.: Fr.) Berk. et Br.	deceiver	•	•	
408	<i>Laccaria proxima</i> (Boud.) Pat.				
409	<i>Laccaria scrobiculatus</i>				edible
410	<i>Laccaria tortilis</i> (Bolt.: Fr.) Pat.		•		
411	<i>Laccaria vinaceoavellanea</i> Hongo		•		
412	<i>Lactarius akahatsu</i> Tanaka			•	
413	<i>Lactarius angustus</i>				edible
414	<i>Lactarius annulatoangustifolius</i>				food
415	<i>Lactarius blennius</i> (Fr.) Fr.		•		
416	<i>Lactarius camphoratus</i> (Fr.) Fr.	candy cap	•		
417	<i>Lactarius carbonicola</i>				edible
418	<i>Lactarius chrysorrheus</i> Fr.			•	
419	<i>Lactarius congolensis</i>				edible
420	<i>Lactarius contraversus</i> (Fr. ex Fr.) Fr.	lactaire des peupliers	•		
421	<i>Lactarius corrugis</i> Peck		•		
422	<i>Lactarius corrugis</i>				food
423	<i>Lactarius deliciosus</i> (L.: Fr.) S.F. Gray	saffron milk cap	•		
424	<i>Lactarius denigricans</i>				food

425	<i>Lactarius densifolius</i>				food
426	<i>Lactarius deterrimus</i>				edible
427	<i>Lactarius deterrimus</i> Gröger	blodriskor			
428	<i>Lactarius edulis</i>				edible
429	<i>Lactarius enactor</i> (Bull.: Fr.) Karst.			•	
430	<i>Lactarius flavidulus</i>				edible
431	<i>Lactarius flavidus</i> Imai.			•	
432	<i>Lactarius flexuosus</i> (Fr.) S.F. Gray	buktriska			
433	<i>Lactarius fragilis</i> (Burlingham) Hesler et A.H. Smith	candy cap			
434	<i>Lactarius fuliginosus</i> (Fr.) Fr.				
435	<i>Lactarius fulvissimus</i> Romagn.	lactaire fauve vif			
436	<i>Lactarius gerardii</i> Peck			•	
437	<i>Lactarius glyciosmus</i> (Fr. ex Fr.) Fr.	coconut scented milk cap			
438	<i>Lactarius gymnocarpoides</i>				food
439	<i>Lactarius gymnocarpus</i>				food
440	<i>Lactarius hatsudake</i> Tanaka	hatsudake		•	•••
441	<i>Lactarius heimii</i>				food
442	<i>Lactarius helvus</i> (Fr.) Fr.	Maggipilz			
443	<i>Lactarius hygrophoroides</i> Berk & Curt.			•	
444	<i>Lactarius indigo</i> (Schwein.) Fr.	indigo milk cap			
445	<i>Lactarius insulsus</i>				edible
446	<i>Lactarius inversus</i>				edible
447	<i>Lactarius japonicus</i>				edible
448	<i>Lactarius kabansus</i>				food
449	<i>Lactarius lactifluus</i> (L.) Burlingham				
450	<i>Lactarius laeticolor</i>				edible
451	<i>Lactarius laeticolorus</i> (Imai) Imaz.				•••

452	<i>Lactarius laevigatus</i>				food
453	<i>Lactarius latifolius</i>				edible
454	<i>Lactarius lignyotus</i> Fr.	lactaire couleur de suie			
455	<i>Lactarius luteopus</i>				food
456	<i>Lactarius medusae</i>				food
457	<i>Lactarius mytissimus</i> (Fr.) Fr.	lactaire très doux			
458	<i>Lactarius necator</i> (Fr.) Karst.	ugly milk cap	•		
459	<i>Lactarius pallidus</i> (Pers. ex Fr.) Fr.	lactaire pâle			
460	<i>Lactarius pelliculatus</i>				edible
461	<i>Lactarius pelliculatus f. pallidus</i>				edible
462	<i>Lactarius pergamenus</i> (Fr.) Fr.	peppery milk cap			
463	<i>Lactarius phlebophyllus</i>				food
464	<i>Lactarius piperatus</i> (L.:Fr.) Pers.		•		
465	<i>Lactarius princeps</i> Berk.	panaino			
466	<i>Lactarius pseudovolemus</i>				edible
467	<i>Lactarius pubescens</i> (Fr. ex Krombh.) Fr.	flaumiger Milchling			
468	<i>Lactarius pyrogalus</i>				edible
469	<i>Lactarius quietus</i> (Fr.) Fr.	oak milk cap, southern milk-cap			
470	<i>Lactarius repraesentaneus</i> Britz.	Zottenreizker		•	
471	<i>Lactarius resimus</i> Fr.	Wimpern-Milchling			
472	<i>Lactarius rubidus</i>				edible
473	<i>Lactarius rubrilacteus</i>				food
474	<i>Lactarius rubrilacteus</i> Hesler et A.H. Smith	bleeding milk cap			
475	<i>Lactarius rubroviolascens</i>				edible
476	<i>Lactarius rufulus</i> Peck	candy cap			
477	<i>Lactarius rufus</i> (Scop. ex Fr.) Fr.	rufous milk cap			

478	<i>Lactarius rugatus</i> Kühner & Romagn.		•	
479	<i>Lactarius salmonicolor</i> Heim & Leclair	chilpan		
480	<i>Lactarius sanguifluus</i> Fr.	bloody milk cap		
481	<i>Lactarius scrobiculatus</i> (Scop. ex Fr.) Fr.	lactaire à fossettes		
482	<i>Lactarius semisanguifluus</i> Heim & Leclair	sanguinello		
483	<i>Lactarius serifluus</i> (DC. ex Fr.) Fr. S. Kühn. & Romagn.	lusriska		
484	<i>Lactarius sesemotani</i>			edible
485	<i>Lactarius subdulcis</i> (Pers. ex Fr.) S.F. Gray	mild milk cap	•	
486	<i>Lactarius subindigo</i>			food
487	<i>Lactarius subpurpureus</i> Peck	purplish lactarius		
488	<i>Lactarius tabidus</i> Fr.	lactaire languissant		
489	<i>Lactarius tanzanicus</i>			food
490	<i>Lactarius torminosus</i> (Schaeff. ex Fr.) S.F. Gray	wooly milk cap		Deadly poisonous according to some authorities - eaten in Finland after careful preparation
491	<i>Lactarius trivialis</i> (Fr.) Fr.	northern milk cap		
492	<i>Lactarius uvidus</i> (Fr.) Fr.		•	
493	<i>Lactarius vellereus</i> Fr. ex Fr.	fleecy milk cap	•	
494	<i>Lactarius vietus</i> (Fr.) Fr.	grey milk cap	•	
495	<i>Lactarius violascens</i> (Otto : Fr.) Fr.			•
496	<i>Lactarius volemoides</i>			food
497	<i>Lactarius volemus</i> (Fr.) Fr. and <i>Lactarius volemus</i> var. <i>flavus</i> Hesler et Smith	frying milk cap, orange-brown Lactarius, weeping milk cap	•	••
498	<i>Lactarius xerampelinus</i>			food
499	<i>Lactarius yazooensis</i>			food
500	<i>Lactocollybia aequatorialis</i>			food

501	<i>Laetiporus sulphureus</i>					food
502	<i>Lampteromyces japonicus</i>					medicinal
503	<i>Langermannia gigantea</i>					edible (m)
504	<i>Lanopila nipponica</i>					edible
505	<i>Lariciformes officianalis</i>					edible (m)
506	<i>Lasiosphaera fenzlii</i>					medicinal
507	<i>Leccinum aurantiacum</i> (Fr.) Gray	orange-cap birch boletus				
508	<i>Leccinum chromapes</i>					edible
509	<i>Leccinum crocipodium</i> (Letellier) Watling	yellow cracking boletus				
510	<i>Leccinum extremiorientale</i> (L. Vass.) Sing.		•		••	
511	<i>Leccinum fibrillosum</i> A.H. Smith, Thiers et Watling					
512	<i>Leccinum griseum</i>					food
513	<i>Leccinum holopus</i> (Rostk.) Watling	Rauhsteil-Röhrling				
514	<i>Leccinum insigne</i> A.H. Smith, Thiers et Watling	aspen bolete				
515	<i>Leccinum manzanitae</i> Thiers	manzanita bolete				
516	<i>Leccinum nigrescens</i> (Richon et Roze) Sing.		•			
517	<i>Leccinum oxydabile</i>					edible
518	<i>Leccinum percandidum</i> (Vassilk.) Watling	schneeweisser Rauhfußsröhrling				
519	<i>Leccinum rubropunctum</i> (Pk) Sing		•			
520	<i>Leccinum rugosiceps</i> (Pk.) Sing		•			
521	<i>Leccinum scabrum</i> (Fr.) S.F. Gray	brown birch bolete	•		•	
522	<i>Leccinum subglabripes</i> (Pk.) Sing.		•			
523	<i>Leccinum testaceoscabrum</i> (Secr.) Sing.	orange-cap birch bolete				
524	<i>Leccinum versipelle</i> (Fr. et Hök.) Snell	orange birch bolete			••	
525	<i>Leccinum vulpinum</i> Watling	Rauhstiel-Röhrling				
526	<i>Leucangium carthusianum</i> Tul. & Tul.	Oregon black truffle				As many as 7 species are marketed as the

Oregon black truffle

527	<i>Lycoperdon asperum</i> (Lév.) de Toni		
528	<i>Lycoperdon candidum</i> Pers.	bolita de conejo	
529	<i>Lycoperdon endotephrum</i>		
530	<i>Lycoperdon fuscum</i> Bon. in Coker et Couch		•
531	<i>Lycoperdon gemmatum</i>		
532	<i>Lycoperdon marginatum</i>		
533	<i>Lycoperdon molle</i> Pers.		
534	<i>Lycoperdon muscorum</i> Morgan	korok	
535	<i>Lycoperdon oblongisporum</i>		
536	<i>Lycoperdon peckii</i>		
537	<i>Lycoperdon pedicellatum</i> Peck		•
538	<i>Lycoperdon perlatum</i> Pers.: Pers.	common puff-ball, gem- studded puff-ball, warted puff-ball	•
539	<i>Lycoperdon polymorphum</i> Vitt.		•
540	<i>Lycoperdon pusillum</i> Batsch.		•
541	<i>Lycoperdon pyriforme</i> Schaeff. ex Pers.	pear-shaped puffball	•
542	<i>Lycoperdon rimulatum</i> Peck	ternerita de bosque	
543	<i>Lycoperdon spadiceum</i>		
544	<i>Lycoperdon umbrinum</i> Pers.	bola de bosque	•
545	<i>Lycoperdon umbrinum</i> var. <i>floccosum</i>		
546	<i>Lyophyllum aggregatum</i>		edible
547	<i>Lyophyllum cinerascens</i> (Bull. ex Konr.) Konr. et Maubl.		•
548	<i>Lyophyllum connatum</i> (Schum. ex Fr.) Sing.	weisser Büschel-Räsling	•
549	<i>Lyophyllum decastes</i> (Fr.: Fr.) Singer	fried-chicken mushroom, hatakeshimeji	•
550	<i>Lyophyllum fumosum</i>		edible

551	<i>Lyophyllum fumosum</i> (Pers. ex Fr.) P.D. Orton	lyophylle malpropre	•	
552	<i>Lyophyllum infumatum</i> (Bres.) Kühner	raytersporiger Schwärzling		
553	<i>Lyophyllum ovisporum</i>			food
554	<i>Lyophyllum semitale</i> (Fr.) Kühn.		•	
555	<i>Lyophyllum shimeji</i> (Kawam.) Hongo	hon-shimeji	•	
556	<i>Lyophyllum sykosporum</i>			edible
557	<i>Lyophyllum trigonosporum</i> (Bres.) Sing.		•	
558	<i>Lyophyllum ulmarium</i> (Bull. ex Fr.) Kühn	Ulmenräsling		
559	<i>Macrocybe gigantea</i>			
560	<i>Macrocybe lobayensis</i>			??, edible
561	<i>Macrocybe spectabilis</i>			
562	<i>Melanogaster ambiguus</i> (Vitt.) Tul.	Zwitter-Schleimtrüffel		
563	<i>Morchella angusticeps</i>			
564	<i>Morchella conica</i>			
565	<i>Morchella conica</i> var. <i>rigida</i>			
566	<i>Morchella costata</i>			
567	<i>Morchella crassipes</i>			
568	<i>Morchella deliciosa</i>			
569	<i>Morchella elata</i>			??
570	<i>Morchella esculenta</i>			
571	<i>Morchella esculenta</i> var. <i>rotunda</i>			
572	<i>Morchella esculenta</i> var. <i>umbrina</i>			
573	<i>Morchella esculenta</i> var. <i>vulgaris</i>			
574	<i>Morchella intermedia</i>			
575	<i>Morganella subincarnata</i>			??
576	<i>Neoclitocybe bissiseda</i>			??, food
577	<i>Nothopanus hygrophanus</i>			??, edible

578	<i>Otidea onotica</i>		??, edible
579	<i>Paxillus atrotomentosus</i>		edible
580	<i>Paxillus involutus</i> (Fries) Karsten	brown roll-rim	Given as edible after parboiling by Chandra (1989) but highly suspect because its toxins accumulate in the body and can kill years after eating.
581	<i>Paxillus yunnanensis</i> Zang		•
582	<i>Paxina acetabulum</i>		??, food
583	<i>Perenniporia mundula</i>		??, medicinal
584	<i>Peziza</i> edible species are: <i>P. badia</i> , <i>P. postulata</i> , <i>P. succosa</i> , <i>P. tricholoma</i> and <i>P. vesiculosa</i>		Some species of <i>Peziza</i> are likely to be mycorrhizal formers (e.g. Brundrett & Bougher 2000; Castellano 1995)
585	<i>Phaeangium lefebvrei</i> (Pat.) Maire	desert truffle	
586	<i>Phlebopus colossus</i>		
587	<i>Phlebopus sudanicus</i>		??, food
588	<i>Phylloporus rhodaxanthus</i>		edible
589	<i>Picoa carthusiana</i>		edible
590	<i>Pisolithus tinctorius</i> (Pers.) Cocker & Couch		• Not considered edible in the USA
591	<i>Plicaria badia</i>		??, edible
592	<i>Polyozellus multiplex</i> (previously <i>Cantharellus multiplex</i>)		edible
593	<i>Porphyrellus atrobrunneus</i>		edible
594	<i>Porphyrellus pseudoscaber</i>		edible
595	<i>Pseudocraterellus laeticolor</i>		edible
596	<i>Psiloboletinus lariceti</i>		edible
597	<i>Ptychoverpa bohémica</i>		??, food
598	<i>Pulveroboletus aberrans</i>		edible

599	<i>Ramalina ecklonii</i>				edible
600	<i>Ramaria apiculata</i>				edible
601	<i>Ramaria araiospora</i>				food
602	<i>Ramaria asiatica</i> (R.H. Petersen & Zang) R.H. Petersen		•		
603	<i>Ramaria aurea</i> (Fr.) Quél.	golden coral fungus	•		
604	<i>Ramaria bonii</i>				edible
605	<i>Ramaria botrytis</i> (Pers.) Ricken	red-tipped clavaria	•	•••	
606	<i>Ramaria botrytoides</i> (Pk.) Corner	red-tipped clavaria	•		
607	<i>Ramaria cyanocephala</i> (Berk. & Curtis) Corner		•		
608	<i>Ramaria cystidiophora</i>				edible
609	<i>Ramaria eryuanensis</i> R.H. Petersen & M. Zang		•		
610	<i>Ramaria fistulosa</i>				edible
611	<i>Ramaria flava</i> (Fr.) Quél.	pale yellow clavaria	•		
612	<i>Ramaria flavobrunnescens</i> (Atk.) Corner		•		
613	<i>Ramaria flavobrunnescens</i> var. <i>aurea</i>				food
614	<i>Ramaria formosa</i>				edible
615	<i>Ramaria fuscobrunnea</i>				food
616	<i>Ramaria hemirubella</i> R.H. Petersen & M. Zang		•		
617	<i>Ramaria hilaris</i> R.H. Petersen & M. Zang		•		
618	<i>Ramaria indoyunnaniana</i> Petersen et Zang		•		
619	<i>Ramaria invalii</i> (Cott. & Wakef.) Donk	granfingersvamp			
620	<i>Ramaria mairei</i> Donk		•		
621	<i>Ramaria obtusissima</i> (Peck) Corner		•		
622	<i>Ramaria ochracea</i>				edible
623	<i>Ramaria ochraceovirens</i> (jungh.) Donk		•		
624	<i>Ramaria patagonica</i> (Speg.) Corner				
625	<i>Ramaria pulcherrima</i>				edible

626	<i>Ramaria rasilispora</i> Marr et Stuntz	yellow coral mushroom		
627	<i>Ramaria rosella</i>			edible
628	<i>Ramaria rubiginosa</i>			food
629	<i>Ramaria rubriattenuipes</i> R.H. Petersen & M. Zang		•	
630	<i>Ramaria rubripermanens</i>			food
631	<i>Ramaria rufescens</i> (Fr.) Corner		•	
632	<i>Ramaria saguinipes</i> R.H. Petersen & M. Zang		•	
633	<i>Ramaria sanguinea</i>			food
634	<i>Ramaria secunda</i> (B.) Corner		•	
635	<i>Ramaria stricta</i> (Fr.) Quéél.	upright ramaria	•	
636	<i>Ramaria subaurantiaca</i>			food
637	<i>Ramaria subbotrytis</i>			food
638	<i>Ramaria testaceoviridis</i> (Doty) Corner		•	
639	<i>Ramariopsis kunzei</i> (Fr.) Donk		•	??
640	<i>Rhizopogon luteolus</i>			edible
641	<i>Rhizopogon parksii</i> Smith	false truffle		
642	<i>Rhizopogon piceus</i> Berk. et Curt.		•	
643	<i>Rhizopogon roseolus</i>			edible
644	<i>Rhizopogon rubescens</i> (Tul.) Tul.	shoro, red false truffle	•	••
645	<i>Rhizopogon shanxiensis</i> Liu		•	
646	<i>Rhizopogon vinicolor</i> Zeller & Dodge	false truffle		
647	<i>Rhodophyllus abortivus</i> (Berk. et Curt.) Sing.		•	
648	<i>Rhodophyllus acutoconicus</i> Hongo			•
649	<i>Rhodophyllus aprile</i> (Britz.) Romagnesi	emtolome d'avril		
650	<i>Rhodophyllus clypeatus</i> (L.) Quéél.	Roman shield entoloma	•	••
651	<i>Rhodophyllus crassipes</i> (Imaz. et Toki) Imaz. et Hongo		•	•
652	<i>Rhodophyllus cyanoniger</i> (Hongo) Hongo			•

653	<i>Rhodophyllus porphyrophaeum</i> (Fr.) Lange	porphyrbrauner Rötling	
654	<i>Rhodophyllus prunuloides</i> (Fr.) Quél.		
655	<i>Rhodophyllus sepium</i> (Noulet & Dassier) Romagnesi	entolome des harés	
656	<i>Rhodophyllus sericeum</i> (Bull. ex Fr.) Quél.	silky nolanea	
657	<i>Rhodophyllus turbidus</i> (Fr.) Quél.		•
658	<i>Rozites caperatus</i> (Pers.: Fr.) P. Karst.	gypsy mushroom	•
659	<i>Rozites emodensis</i> (Berk.) M.M. Moser		•
660	<i>Rubinoboletus luteopurpureus</i>		edible
661	<i>Russula aciculocystis</i>		edible
662	<i>Russula adusta</i> (Pers. ex Fr.) Fr.	russule brule	•
663	<i>Russula aeroginea</i> Lindblad ex Fr.	grass green russula	•
664	<i>Russula afronigricans</i>		edible
665	<i>Russula albida</i> Peck		•
666	<i>Russula albonigra</i> (Krombh.) Fr.	grösvart kremla	•
667	<i>Russula alutacea</i> (Pers.) Fr.	russule alutacée	•
668	<i>Russula amaendum</i>		edible
669	<i>Russula amoena</i> Quél.	russule charmante	
670	<i>Russula atropurpurea</i> (Krombh.) Britz.	purple russula	•
671	<i>Russula atrovirens</i>		edible
672	<i>Russula aurata</i> With. ex Fr.	russule dorée	•
673	<i>Russula azurea</i> Bres.	russule azuré	•
674	<i>Russula brevipes</i> Peck	hongo de puerco	
675	<i>Russula caerulea</i> (Pers.) Fr.	russule bleue	
676	<i>Russula cellulata</i>		food
677	<i>Russula chamaeleontina</i> Fr.		•
678	<i>Russula chloroides</i>		edible
679	<i>Russula ciliata</i>		edible

680	<i>Russula claroflava</i> Grove	yellow swamp russula			
681	<i>Russula compacta</i> Frost		•		
682	<i>Russula compressa</i>				edible
683	<i>Russula congoana</i>				edible
684	<i>Russula consobrina</i> (Fr.) Fr.	russgrauer Täubling			
685	<i>Russula cremeoavellanea</i> Sing.		•		
686	<i>Russula crustosa</i> (Scheaff.) Fr.		•		
687	<i>Russula cyanoxantha</i> (Schaeff.) Fr.,	charcoal burner	•	••	
688	<i>Russula cyanoxantha</i> var. <i>peltereaui</i> R. Maire				
689	<i>Russula cyanoxantha</i> var. <i>variata</i> (Bann. apud Peck) Sing.				
690	<i>Russula cycloperma</i>				edible
691	<i>Russula decolorans</i> (Fr.) Fr.	gemeiner Weisstäubling	•		
692	<i>Russula delica</i> Fr. and <i>Russula delica</i> var. <i>glaucophylla</i> Qué.	milk-white russula	•	••	
693	<i>Russula densifolia</i> (Secr.) Gill.	russule à feuillettes serrés	•	•	
694	<i>Russula diffusa</i> var. <i>diffusa</i>				edible
695	<i>Russula eburneoareolata</i>				edible
696	<i>Russula emetica</i>				edible Considered very toxic in Europe
697	<i>Russula erythropus</i> Peltereau	sillkremla			
698	<i>Russula exalbicans</i> (Secr.) M. & Zw.	russule blanchissante			
699	<i>Russula faginea</i> Romagn.		•		
700	<i>Russula fellea</i> (Fr.) Fr.	geranium scented russula			
701	<i>Russula flava</i> Rom.	russule jaune			
702	<i>Russula foetens</i> (Pers. ex Fr.) Fr.	stinking russula			
703	<i>Russula fragilis</i> (Pers. ex Fr.) Fr.	fragile russula			
704	<i>Russula furcata</i> (Pers.) Fr.				
705	<i>Russula galochora</i> (Fr. ex Secr.) Fr.		•		

706	<i>Russula grisea</i> (Pers. ex Secr.) Fr.	grey-green russula		
707	<i>Russula heimii</i>			edible
708	<i>Russula heterophylla</i> (Fr.) Fr.	fork-gilled russula		
709	<i>Russula hiemisilvae</i>			edible
710	<i>Russula incarnate</i> Quél.		•	
711	<i>Russula integra</i> (L.) ex Fr.	russule intègre	•	
712	<i>Russula lactea</i> (Pers.) Fr.		•	
713	<i>Russula lepida</i> Fr.	russule jolie	•	
714	<i>Russula lepidicolor</i> Romagn.		•	
715	<i>Russula liberiensis</i>			edible
716	<i>Russula lilacea</i> Quél.		•	
717	<i>Russula livescens</i> (Batsch) Qual.		•	
718	<i>Russula lutea</i> (Huds. ex Fr.) S.F. Gray	russule caméléon	•	
719	<i>Russula macropoda</i>			edible
720	<i>Russula madegassensis</i>			edible
721	<i>Russula mairei</i> Sing.	maire's russula	•	
722	<i>Russula mexicana</i>			edible
723	<i>Russula minutula</i>			edible
724	<i>Russula mustelina</i> Fr.		•	
725	<i>Russula nauseosa</i> (Pers. ex Secr.) Fr.	russule nauséuse		
726	<i>Russula nigricans</i> (Bull.) Fr.	black russula	•	•
727	<i>Russula nitida</i> (Pers. ex Fr.) Fr.	Glanztäubling		
728	<i>Russula obscura</i> Romell.	weinroter Glanztäubling		
729	<i>Russula ochroleuca</i> (Pers. ex Secr.) Fr.	common yellow russula	•	
730	<i>Russula olivacea</i> (Schaeff.) Fr.	russule olivâtre	•	•
731	<i>Russula olivascens</i>			edible
732	<i>Russula ornaticeps</i>			edible

733	<i>Russula paludosa</i> Britz.	russule des marais	•	
734	<i>Russula parazurea</i> J. Schaeffer Ziet Pilzk.	russule presque azurée		
735	<i>Russula pectinatoides</i>			edible
736	<i>Russula phaeocephala</i>			edible
737	<i>Russula pseudoamaendum</i>			edible
738	<i>Russula pseudostriatoviridis</i>			edible
739	<i>Russula puellaris</i> Fr.	russule délicate	•	
740	<i>Russula pulchella</i> Borsz.		•	
741	<i>Russula punctata</i>			edible
742	<i>Russula qualettii</i> Fr. apud Quél.	russule de Quélet		
743	<i>Russula queletii</i>			edible
744	<i>Russula romagnesiana</i>			food
745	<i>Russula romellii</i> Maire		•	
746	<i>Russula rosacea</i> (Bull.) Fr.		•	
747	<i>Russula rosea</i> Quél.		•	
748	<i>Russula roseipes</i> Secr.		•	
749	<i>Russula roseoalba</i>			edible
750	<i>Russula roseostriata</i>			edible
751	<i>Russula rubra</i> (Krombh.) Bres.		•	
752	<i>Russula rubroalba</i>			edible
753	<i>Russula sanguinea</i> (Bull. ex St. Amans) Fr.	russule sanguine		
754	<i>Russula sardonica</i>			edible
755	<i>Russula schizoderma</i>			edible
756	<i>Russula sese</i>			edible
757	<i>Russula sesenagula</i>			edible
758	<i>Russula striatoviridis</i>			edible
759	<i>Russula subdepallens</i> Peck		•	

760	<i>Russula sublaevis</i>					edible
761	<i>Russula tanzaniae</i>					edible
762	<i>Russula turci</i> Bres.	russule de Turci	•			
763	<i>Russula velenovskyi</i> Melzer & Zvara	russule de Velenovsky				
764	<i>Russula vesca</i> Fr.	bare-toothed russula	•			
765	<i>Russula</i> cf. <i>vinosa</i>		•			
766	<i>Russula violeipes</i>					food
767	<i>Russula virescens</i> (Schaeff.) Fr.	cracked green Russula, green russula	•		•	
768	<i>Russula virescens</i> forma <i>erythrocephala</i> Hongo					
769	<i>Russula viridirumbrolimbata</i> Ying		•			
770	<i>Russula viscida</i>					edible
771	<i>Russula xerampelina</i> Fr.	shrimp russula	•			
772	<i>Sarcodon aspratium</i> (Berk.) S. Ito		•			
773	<i>Sarcodon fuligineoalbus</i> (Schmidt:Fr.) Quél.		•			
774	<i>Sarcodon imbricatum</i> (L.: Fr.) P. Karst.	tiled hydnum				
775	<i>Sarcodon lobatus</i>					edible
776	<i>Sarcoscypha coccinea</i>					food
777	<i>Sarcosphaera eximia</i>					food
778	<i>Scleroderma australe</i> Masee ex Cooke		?			Considered questionable in China
779	<i>Scleroderma bovonei</i>					edible
780	<i>Scleroderma citrinum</i>					edible
781	<i>Scleroderma citrinum</i> Pers.		•			Some species of <i>Scleroderma</i> are eaten but there have been serious cases of poisoning such as a woman in Ashburton who went into anaphylactic shock.

782	<i>Scleroderma flavidum</i>					medicinal
783	<i>Scleroderma geaster</i>					??
784	<i>Scleroderma radicans</i>					edible
785	<i>Scleroderma texense</i>					edible
786	<i>Scleroderma verrucosum</i>					
787	<i>Scutigera ovinus</i>					??, edible
788	<i>Strobilomyces confusus</i> Sing.			•	•	
789	<i>Strobilomyces coturnix</i>					edible
790	<i>Strobilomyces floccopus</i> (Vahl: Fr.) P. Karst.	old man of the woods		•		
791	<i>Strobilomyces glabriceps</i> Chiu			•		
792	<i>Strobilomyces strobilaceus</i> (Scop.: Fr.) Berk.				•	
793	<i>Strobilomyces velutipes</i>					edible
794	<i>Suillus abietinus</i>					edible
795	<i>Suillus acidus</i> (Peck) Sing.	pegajoso				
796	<i>Suillus aeruginascens</i> (Secr.) Snell.	grey larch boletus		•		
797	<i>Suillus albidipes</i> (Peck) Sing.			•		
798	<i>Suillus albivelatus</i> A.H. Smith, Thiers et O.K. Miller					
799	<i>Suillus americanus</i> (Peck) Snell.	pegajoso				
800	<i>Suillus bovinus</i> (L.: Fr.) Kuntze	shallow-pored boletus		•	•	
801	<i>Suillus brevipes</i> (Peck) Kuntze	pegajoso		•		
802	<i>Suillus cavipes</i> (Opat.) A.H. Smith et Thiers					
803	<i>Suillus flavidus</i> (Fr.) Sing.	bolet jaunâtre				
804	<i>Suillus flavus</i> (With. :Fr.) Singer			•		
805	<i>Suillus granulatus</i> (L.: Fr.) Kuntze	granulated boletus		•	•	
806	<i>Suillus grevillei</i> (Klotsch) Singer	larch bolete		•		
807	<i>Suillus hirtellus</i>					food
808	<i>Suillus laricinus</i> (Berk. In Hook.) O. Kuntze				•	

809	<i>Suillus luteus</i> (L.: Fr.) S.F. Gray	slippery jack	•		
810	<i>Suillus pictus</i> (Peck) A.H. Smith et Thiers		•	•	Listed by Wang et al. as questionable edibility
811	<i>Suillus pinetorum</i> (W.F. Chiu) H. Engel & Klofac		•		
812	<i>Suillus placidus</i> (Bonorden) Sing.		•		
813	<i>Suillus plorans</i>				edible
814	<i>Suillus pseudobrevipes</i>				food
815	<i>Suillus pungens</i>				edible
816	<i>Suillus spectabilis</i> (Peck) O. Kuntze			••	
817	<i>Suillus subaureus</i> (Peck) Snell		•		
818	<i>Suillus subluteus</i> (Peck) Snell ex Slipp et Snell		•		
819	<i>Suillus thibetanus</i> (Pat.) Tai		•		
820	<i>Suillus tomentosus</i>				food
821	<i>Suillus tridentinus</i> (Bres.) Sing.	bolet du trentin			
822	<i>Suillus variegatus</i> (Swartz: Fr) O. Kuntze	sand bolete			
823	<i>Suillus viscidus</i>				edible
824	<i>Terfezia arenaria</i> (Moris) Trappe	desert truffle	•		
825	<i>Terfezia boudieri</i>	Bouderin's truffle			edible
826	<i>Terfezia claveryi</i> Chatin	yellow truffle			
827	<i>Terfezia leonis</i>				edible
828	<i>Terfezia pfeilii</i> Henn.	Kalahari truffle			
829	<i>Terfezia spinosa</i> Harkn.		•		
830	<i>Thelephora aurantiotincta</i> Corner		•		
831	<i>Thelephora ganbajum</i>				food
832	<i>Thelephora ganbajun</i> Zang		•		
833	<i>Thelephora japonica</i> Yasuda ex Lloyd		•		
834	<i>Thelephora paraguayensis</i>				medicinal

835	<i>Thelephora vialis</i> Schwein.		•	
836	<i>Tilopilus alboater</i> (Schweinitz) Murrill		•	
837	<i>Tilopilus albofarinaceus</i> (Chiu) Tai		•	
838	<i>Tilopilus ballouii</i> (Pk.) Singer		•	
839	<i>Tilopilus eximius</i> (Peck) Sing.		•	••
840	<i>Tilopilus plumbeoviolaceus</i> (Snell et Dick) Singer		•	
841	<i>Tilopilus sinicus</i> (Chiu) Tai		•	
842	<i>Tirmania africana</i> Chatin	desert truffle		
843	<i>Tirmania nivea</i>			edible
844	<i>Tirmania pinoyi</i> (Maire) Malençon	khulasi		
845	<i>Tricholoma acerbum</i> Bull. ex Fr.			
846	<i>Tricholoma albellum</i> ((Fr.) Quél.		•	
847	<i>Tricholoma albobrunneum</i> (Fr.) Kumm.	tricholome blanc et brun	•	
848	<i>Tricholoma album</i> (Schaeff. :Fr.) Quél.		•	
849	<i>Tricholoma albus</i> Schaeff. :Fr.			
850	<i>Tricholoma atrosquamosum</i>			edible
851	<i>Tricholoma aurantum</i> (Fr.) Gillet			•••
852	<i>Tricholoma bakamatsutake</i> Hongo	bakamatsutake	•	••
853	<i>Tricholoma bulbigerum</i> (Alb. et Schw. :Fr.) Rick.		•	
854	<i>Tricholoma caligatum</i> (Viv.) Ricken	European matsutake		
855	<i>Tricholoma cingulatum</i> (Almfelt apud Fr.) Jacobasch	tricholome ceinturé		
856	<i>Tricholoma colossus</i> (Fr.) Quél.	tricholome colosse		
857	<i>Tricholoma columbetta</i> (Fr.) Kumm	dove-coloured tricholoma		
858	<i>Tricholoma conglobatum</i> (Vitt.:Fr.) Sacc.		•	
859	<i>Tricholoma decorum</i> (Fr.) Quél.		•	
860	<i>Tricholoma equestre</i> (L. :Fr.) Quél.		•	
861	<i>Tricholoma flavovirens</i> (Pers.: Fr.) Lund.	firewood agaric	•	•

862	<i>Tricholoma fulvocastaneum</i> Hongo		•		
863	<i>Tricholoma fulvum</i> (DC.: Fr.) Sacc.	tricholome brun et jaune	•	•	
864	<i>Tricholoma fusipes</i> Horak	yellow night fungus			
865	<i>Tricholoma giganteum</i> Masee	khonganang chengum		•••	
866	<i>Tricholoma imbricatum</i> (Fr. ex Fr.) Kummer	tricholome imbriqué			
867	<i>Tricholoma japonicum</i> Kawam.			•	
868	<i>Tricholoma magnivelare</i> (Peck) Redhead	North American matsutake, white matsutake			
869	<i>Tricholoma matsutake</i> (S. Ito et Imai) Sing. = <i>Tricholoma nauseosum</i> Blytt	Matsutake, pine mushroom	•	•••	
870	<i>Tricholoma mauritianum</i>				edible
871	<i>Tricholoma mongolicum</i> Imai		•		
872	<i>Tricholoma muscarium</i> A. Kawam. et Hongo			••	
873	<i>Tricholoma myomyces</i> (Pers.: Fr.) Lange		•		
874	<i>Tricholoma orirubens</i> Quéł.	trichome à lames			
875	<i>Tricholoma pessundatum</i> (Fr.) Quéł.		•		Considered to be poisonous in the USA
876	<i>Tricholoma pessundatum</i> var. <i>populinum</i>				edible
877	<i>Tricholoma populinum</i> J. Lange	sandy tricholome			
878	<i>Tricholoma portentosum</i> (Fr.) Quéł.	dingy agaric	•	••	
879	<i>Tricholoma quercicola</i>				edible
880	<i>Tricholoma radicans</i> Hongo			•	
881	<i>Tricholoma robustum</i> (Alb. et Schwein.: Fr.) Ricken (sensu Imaz.)		•	•	
882	<i>Tricholoma saponaceum</i> (Fr.) Kummer	soapy tricholoma	•	•	Considered as questionable edibility in China
883	<i>Tricholoma scabrum</i>				edible
884	<i>Tricholoma scalpturatum</i> Fr.	tricholome gravé	•		
885	<i>Tricholoma sejunctum</i> (Sow.: Fr.) Quéł.	separating tricholoma	•	•	

886	<i>Tricholoma spectabilis</i>				edible
887	<i>Tricholoma sulphureum</i> (Bull. ex Fr.) Kummer	sulphur tricholoma			
888	<i>Tricholoma terreum</i> (Schaeff.: Fr.) Kummer	tricholome couleur de terre	•	•	
889	<i>Tricholoma ustaloides</i>				edible
890	<i>Tricholoma vaccinum</i> (Pers. ex Fr.) Kummer	scaly tricholoma	•		
891	<i>Trogia infundibuliformis</i>				??, edible
892	<i>Tuber aestivum</i> Vitt.	summer truffle			
893	<i>Tuber aestivum</i> Vitt.	Burgundy truffle			
894	<i>Tuber aurantiotincta</i> Corner				
895	<i>Tuber borchii</i> Vitt.	bianchetto o marzuolo			
896	<i>Tuber brumale</i> Vitt.	winter truffle			
897	<i>Tuber brumale</i> Vitt. var. <i>moschatum</i> Ferry				
898	<i>Tuber californicum</i> Harkn.	California truffle			
899	<i>Tuber formasanum</i>				= either <i>T. indicum</i> or <i>T. sinsense</i>
900	<i>Tuber gibbosum</i> Harkn.	Oregon spring white truffle			
900	<i>Tuber hiemalbum</i> Chatin	white winter truffle			
901	<i>Tuber himalayense</i> Zhang & Minter				
902	<i>Tuber indicum</i> Cooke et Masee				edible
903	<i>Tuber japonica</i> Yasuda ex Lloyd				
904	<i>Tuber lyonii</i> Butters	Pecan truffle			
905	<i>Tuber maculatum</i> Vitt.	trädgardstryffel, "New Zealand" white truffle			
906	<i>Tuber magnatum</i> Pico	Italian white truffle, Piedmont white truffle			
907	<i>Tuber melanosporum</i>				food
908	<i>Tuber melanosporum</i> Vitt.	Périgord black truffle, French black truffle			
909	<i>Tuber mesentericum</i> Vitt.	bagnoli truffle			

910	<i>Tuber moschatum</i> Ferry				edible
911	<i>Tuber oligospermum</i> (Tul. & C. Tul.) Trappe				edible
912	<i>Tuber oregonense</i> nom. prov.	Oregon winter white truffle			
913	<i>Tuber pseudoexcavatum</i> Y. Wang et al.		•		
914	<i>Tuber pseudohimalayense</i>				= either <i>T. indicum</i> or <i>T. pseudoexcavatum</i> (Wang pers. comm.)
915	<i>Tuber rufum</i>				edible
916	<i>Tuber rufum</i> Pico	cinnamon truffle			
917	<i>Tuber separans</i> Gilkey	acorn truffle			
918	<i>Tuber sinense</i> K. Tao et Liou	Chinese truffle	•		
919	<i>Tuber sinosum</i>				food
920	<i>Tuber taiyuanense</i> Liu		•		
921	<i>Tuber vialis</i> Schwein.				
922	<i>Tubosaeta brunneosetosa</i>				??, edible
923	<i>Tylopilus balloui</i> (Peck) Sing.		•		
924	<i>Tylopilus chromapes</i> (Frost) A.H. Smith et Thiers	chrome-footed bolete			
925	<i>Tylopilus eximius</i> (Peck) Sing.		•		
926	<i>Tylopilus felleus</i>				food
927	<i>Tylopilus otsuensis</i> Hongo				
928	<i>Tylopilus plumbeoviolaceoides</i> T.H. Li, B. Song & Y.H. Shen		•		
929	<i>Tylopilus virens</i> (W.F. Chiu) Hongo				
930	<i>Verpa conica</i>				??, edible
931	<i>Wynnella silvicola</i>				??, edible
932	<i>Xanthoconium separans</i>				??, edible
933	<i>Xerocomus badius</i> Fr.	bay boletus	•		
934	<i>Xerocomus cheoi</i> (Chiu) Tai		•		

935	<i>Xerocomus chrysenteron</i> (St. Amans) Quélet	red-cracked bolete	•	•	
936	<i>Xerocomus cramesinus</i> Secr.	bolet cramoisi			
937	<i>Xerocomus pallidosporus</i>				edible
938	<i>Xerocomus parasiticus</i> Bull. ex Fr.	parasitic boletus			
939	<i>Xerocomus punctilifer</i> (Chiu) Tai		•		
940	<i>Xerocomus puniceus</i> (Chiu) Tai		•		
941	<i>Xerocomus rubellus</i>				edible
942	<i>Xerocomus rugosellus</i> (Chiu) Tai		•		
943	<i>Xerocomus soyeri</i>				edible
944	<i>Xerocomus spadiceus</i> (Fries) Quélet.		•		
945	<i>Xerocomus subtomentosus</i> (L.: Fr.) Quélet.	yellow cracked bolete	•	•	
946	<i>Xerocomus versicolor</i>				edible
947	<i>Xerocomus yunnanensis</i> (Chiu) Tai		•		
